

Veriton M4630G (Win8) Specifications (v2-0-1)				
Category		Description	Footnotes	
Operating	1, 2	Windows 8 Pro 64-bit		
system		Windows 7 Professional 64-bit Service Pack 1		
		Windows 7 Professional 32-bit Service Pack 1		
		FreeDOS [™]		
CPU and chipset	1	СРИ		
		• Intel [®] Core [™] i7-4770 processor (3.4 GHz, 8 MB cache, 1600 MHz		
		FSB, quad-core, 84 W, Intel® HD Graphics 4600)		
		• Intel [®] Core [™] i5-4570 processor (3.2 GHz, 6 MB cache, 1600 MHz		
		FSB, quad-core, 84 W, Intel® HD Graphics 4600)		
		• Intel [®] Core [™] i5-4430 processor (3.0 GHz, 6 MB cache, 1600 MHz		
		FSB, quad-core, 84 W, Intel® HD Graphics 4600)		
		Chipset		
		Intel® B85 Express Chipset		
Memory	1, 3, 4	8 GB DDR3 1600 MHz UDIMM		
		4 GB DDR3 1600 MHz UDIMM		
		2 GB DDR3 1600 MHz UDIMM		
		Up to 32 GB of Dual-channel DDR3 1600 MHz		
Storage	1, 5	Hard disk drive		
		2 TB 3.5-inch 7200 RPM		
		1 TB 3.5-inch 7200 RPM		
Optical media		16X Super-Multi drive		
drive		• Read: DVD-ROM (DVD-5, DVD-9, DVD-10, DVD-18), DVD-R, DVD-		
		RAM, DVD-R double-layer, DVD-RW, DVD+R, DVD+R double-layer,		
		DVD+RW, CD-ROM/XA, CD-I, Video CD, CD-Extra, CD-Text, Multi-		
		session, Photo CD, CD-DA, CD-R, CD-RW, Karaoke CD, Enhanced		
		CD, i-trax CD, CD Plus		
		Write: DVD-R, DVD-R double-layer, DVD-RW, DVD-RAM, DVD+R, DVD-R double-layer, DVD-RW, CD-R/RW		
		DVD+R double-layer, DVD+RW, CD-R/RW 16X DVD-ROM		
		• Read: DVD-ROM (DVD-5, DVD-9, DVD-10, DVD-18), DVD-R/RW,		
		DVD+R/RW, DVD+R double-layer, DVD-R double-layer, CD-DA, CD-		
		ROM/XA, Multi-session, Photo CD, Video CD, CD-I, CD Extra, CD		
		Plus, CD-R, CD-RW, DVD-RAM, Karaoke CD, Enhanced CD, i-trax		
		CD		
Graphics	6	AMD Radeon [™] HD8470, 2 GB DDR3 (supporting: DVI, HDMI [®])		
_		NVIDIA® GeForce® GT 620, 1 GB DDR3 (supporting: VGA, DVI, HDMI®)		
Audio		Integrated high-definition sound	1	
7.4410		I mogratou nigir dominion oddid		

Veriton M4630G (Win8) Specifications (v2-0-1)				
Communication	WLAN			
	Wi-Fi 802.11a/b/g/n and Bluetooth® 4.0 LE			
	LAN			
	Gigabit Ethernet			
Input and output	Front/Side I/O connectors			
	Card reader: Yes			
	Audio jack(s): 2			
	• USB 2.0 port(s): 2			
	• USB 3.0 port(s): 2			
	Rear I/O connectors			
	D-Sub port(s): 1			
	• DVI port(s): 1			
	DisplayPort (DP) ports: 2			
	COM port(s): 1			
	Serial ports on board header (COM2): 1			
	LAN port(s): 1			
	• PS/2 port(s): 2			
	Audio jack(s): 3			
	• USB 2.0 port(s): 4			
	• USB 3.0 port(s): 2			
Expansion slot(s)	Number of PCIe x16 slot(s): 2			
	Number of PCIe x1 slot(s): 1			
	Number of PCI slot(s): 1			
Software 7	ISP & Communications			
	• Skype [™]			
	Multimedia			
	Cyberlink® PowerDVD™			
	Productivity			
	Acer SmartBoot			
	newsXpresso			
	PowerSaver			
	Veriton ControlCenter			
	Security			
	Acer ProShield			
	McAfee® Internet Security Suite			
	Norton [™] Online Backup			
	Utilities			
	Acer eSettings Management			
	Acer eSettings Management			
Commercial	One-button recovery (OBR)			
features	Kensington lock slot			
	100% solid capacitors			
	DASH 1.1			
	Hard drive password protection (via BIOS)			

Veriton M4630G (Win8) Specifications (v2-0-1)				
	PXE (Preboot eXecution Environment)			
	WOL (Wake On Lan)			
	2-in-1 cable and padlock slot			
	Intrusion alert (via BIOS)			
Commercial	TPM v1.2 (Trusted Platform Module)			
selected options	Internal speaker			
	Dust filter			
Dimensions	451.3 (W) x 376.9 (D) x 181.5 (H) mm (17.77 x 14.84 x 7.15 inches)			
Power supply	Power supply			
and adapter	500 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Gold, ATX			
	300 W single-rail 12 V PFC (EuP), auto-sensing, 80PLUS Bronze, ATX			
System	RoHS			
compliance	EPEAT [®] Gold			
	ENERGY STAR®			
	GS			
	DMI			
	PC2001			
Options and	DVI-to-VGA adapter			
accessories	USB keyboard and mouse			
	PS/2 keyboard and mouse			
Certification	BSMI			
	VCCI			
	CCC			
	CE			
	FCC			
	СВ			

Acer recommends Windows.

- 1. Specifications vary depending on model.
- 2. 64-bit software is required to enjoy the advantages of 64-bit processing.
- 3. A 64-bit operating system is required to enjoy the ultimate performance of 4 GB or higher memory.
- 4. Memory speed may vary, depending on the CPU, chipset or memory fitted.
- 5. 1 GB is 1 billion bytes. Actual formatted capacity is less and may vary depending on preloaded materials and operating environment. Recovery Management uses a portion of the stated hard disk capacity as dedicated backup space.
- Total available graphics memory comprises dedicated video memory, system memory, and shared system memory. This figure will vary depending on system memory, installed drivers, BIOS settings and other factors.
- 7. Bundled software may vary depending on hardware configuration, OS and regional availability.

In a continuing effort to improve the quality of our products, information in this document is subject to change without notice. Images shown are only representations of some of the configurations available for this model. Availability may vary depending on region.

© 2013. All rights reserved.

Intel, Intel Core, Core Inside, Pentium, and Pentium Inside are trademarks of Intel Corporation in the U.S. and other countries.

Veriton M4630G (Win8) Specifications (v2-0-1)

Microsoft and Windows are registered trademarks of Microsoft Corporation.





















